



Draft Public Rights of Way Hierarchy

Burwell



Cambridgeshire
County Council

© Crown copyright and database rights 2025 OS AC0000822131. Use of this data is subject to [terms and conditions](#)

This feedback completed by: Lea Dodds
Feedback completed on behalf of: Burwell Parish Council

To view our online map of PROW, please visit:
[My Cambridgeshire](#)
This will enable you to search for a specific location and

Key PROW information:
This form is set to show the PROW for your community. However, you can also filter the information below to focus on specific parishes/towns/communities, using the small arrow

PROW Status	Parish/Town	District	Are	Number	Parish Number	Draft Hierarchy Rank (A = highest)	Form sent to:	Please leave blank if you have no comment	Please leave blank if you do not believe this PROW to be a priority route	Please leave blank if you do not believe this PROW to be a priority route	O	S	T	V	W	track alongside the road that can be safely used, you do not need to enter any road names here	If there is anything else you wish to tell us about this PROW, or adjoining routes in other parts of the County, please add your comments here. If you feel any routes are missing from our maps, please feel free to let us know about them.
Footpath	Burwell	East Cambr	1	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y	Y								[PARISH COUNCIL PROPOSED RANK = A] Well used route from Burwell to Wicken Fen NT and onwards to Ely. It is part of NCN Route 11, which means that Sustrans (and perhaps the NT) will be involved in its maintenance. The PROW surface is actually much better than the rutted concrete farm track that connects it to Factory Rd.
Footpath	Burwell	East Cambr	2	35	B	burwellpc@burwellparishcouncil.gov.uk		Y	Y								[PARISH COUNCIL PROPOSED RANK = A] This PROW is part of NCN Route 11 until the turn to the north east. Maintenance may be shared with Wicken Fen NT and Sustrans.
Footpath	Burwell	East Cambr	3	35	D	burwellpc@burwellparishcouncil.gov.uk											
Byway	Burwell	East Cambr	4	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	5	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	6	35	C	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	7	35	C	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	8	35	C	burwellpc@burwellparishcouncil.gov.uk	L										[PARISH COUNCIL PROPOSED RANK = D]
Footpath	Burwell	East Cambr	9	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	10	35	C	burwellpc@burwellparishcouncil.gov.uk	L										[PARISH COUNCIL PROPOSED RANK = D]
Footpath	Burwell	East Cambr	11	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	12	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	13	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	14	35	D	burwellpc@burwellparishcouncil.gov.uk											
Byway	Burwell	East Cambr	15	35	D	burwellpc@burwellparishcouncil.gov.uk											
Byway	Burwell	East Cambr	16	35	D	burwellpc@burwellparishcouncil.gov.uk											
Footpath	Burwell	East Cambr	17	35	C	burwellpc@burwellparishcouncil.gov.uk	L										[PARISH COUNCIL PROPOSED RANK = D] Too narrow and bumpy to be used. Serves no purpose other than back access to houses. Residents (mostly) keep it clear.
Footpath	Burwell	East Cambr	18	35	C	burwellpc@burwellparishcouncil.gov.uk											[PARISH COUNCIL PROPOSED RANK = A] Popular traffic-free cut through to shop and Rec from NE of village
Byway	Burwell	East Cambr	19	35	D	burwellpc@burwellparishcouncil.gov.uk	H	Y									.

Footpath	Burwell	East Cambr 20	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y				V			[PARISH COUNCIL PROPOSED RANK = A] Heavily used route to school and pre-school from east of village. At The Causeway end, the pavement is used by parents with buggies travelling in both directions. The hedge of adjacent house on The Causeway grows across the pavement, pushing pedestrians into the path of vehicles entering the school grounds.
Footpath	Burwell	East Cambr 21	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y							[PARISH COUNCIL PROPOSED RANK = A] Popular route for access to Ash Grove, the Day Centre, Co-op, school, library etc. Favoured by users of mobility scooters. Vehicles freely use the footpath area, which makes it unsafe.
Footpath	Burwell	East Cambr 22	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y			S	V			[PARISH COUNCIL PROPOSED RANK = A] Popular route for access to Ash Grove, the Day Centre, Co-op, school, library etc. Favoured by users of mobility scooters. Tree roots beneath tarmac are a regular problem near Poplars Close.
Footpath	Burwell	East Cambr 23	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y							[PARISH COUNCIL PROPOSED RANK = A] This is Cuckolds Row. Wide, well used routethat avoids narrow pavement on the High St.
Footpath	Burwell	East Cambr 24	35	D	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 25	35	C	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 26	35	C	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 27	35	D	burwellpc@burwellparishcouncil.gov.uk	H								[PARISH COUNCIL PROPOSED RANK = C]
Footpath	Burwell	East Cambr 28	35	C	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 29	35	D	burwellpc@burwellparishcouncil.gov.uk									
Byway	Burwell	Thei 30	35	A	burwellpc@burwellparishcouncil.gov.uk		Y							This is part of Spring Close - a busy route for pedestrians and vehicles. Surface is unmetalled and prone to rutting.
Byway	Burwell	East Cambr 31	35	C	burwellpc@burwellparishcouncil.gov.uk									There is an error on the map. 31 appears twice; once in the village (correctly), and once near Wicken fen as a duplicate number for PROW no.10.
Footpath	Burwell	East Cambr 32	35	D	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 33	35	D	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 34	35	C	burwellpc@burwellparishcouncil.gov.uk									NOT ON MAP
Footpath	Burwell	East Cambr 35	35	C	burwellpc@burwellparishcouncil.gov.uk									NOT ON MAP
Footpath	Burwell	East Cambr 36	35	D	burwellpc@burwellparishcouncil.gov.uk									
Byway	Burwell	East Cambr 37	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y			S	V			[PARISH COUNCIL PROPOSED RANK = A] This is part of Mill Lane - a busy route for pedestrians and vehicles. Surface is unmetalled and prone to rutting.
Byway	Burwell	East Cambr 38	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y	Y		S	V			[PARISH COUNCIL PROPOSED RANK = A] This is Green Lane, a well used route for vehicles and pedestrians. It is the main access route to the allotments. Surface is unmetalled and prone to rutting.
Footpath	Burwell	East Cambr 39	35	D	burwellpc@burwellparishcouncil.gov.uk									
Footpath	Burwell	East Cambr 40	35	C	burwellpc@burwellparishcouncil.gov.uk									Devils Dyke footpath. Jointly managed by Natural England, English Heritage, the Beds, Cambs & Northants Wildlife Trust, and CCC.
Footpath	Burwell	East Cambr 41	35	C	burwellpc@burwellparishcouncil.gov.uk	H	Y				V			[PARISH COUNCIL PROPOSED RANK = A] Traffic free route from Ness Rd to Westhorpe area. Used by children going to school.
Footpath	Burwell	East Cambr 42	35	C	burwellpc@burwellparishcouncil.gov.uk									NOT ON MAP
Bridleway	Burwell	East Cambr 43	35	D	burwellpc@burwellparishcouncil.gov.uk									NOT ON MAP
Byway	Burwell	East Cambr 39B	35	D	burwellpc@burwellparishcouncil.gov.uk									NOT ON MAP
Byway	Burwell	East Cambr 7B	35	D	burwellpc@burwellparishcouncil.gov.uk									NOT ON MAP
		Missing path												
	Burwell		35		burwellpc@burwellparishcouncil.gov.uk	H	Y				V			[PARISH COUNCIL PROPOSED RANK = A] Shown on map without number. Connects Silver St to Westhorpe. Well used, traffic free, connects Westhorpe area to the north of the village.
	Burwell	Missing path	35		burwellpc@burwellparishcouncil.gov.uk	H	Y				V			[PARISH COUNCIL PROPOSED RANK = A] Not shown on map. Connects The Avenue to Martin Road. Traffic free route leading to shops and school.
	Burwell	Missing path	35		burwellpc@burwellparishcouncil.gov.uk	H	Y	Y	O					[PARISH COUNCIL PROPOSED RANK = A] Not shown on map. Connects Burwell Sports Hall carpark to the library and school. Important route to school for active travel from Westhorpe, Ness Rd and Felsham Chase areas. Steel barriers obstruct mobility scooters and prams.

Burwell Parish Council

Energy Sub-Group

Minutes of 16 July 2025 Meeting, JRR 19:30

Present

Richard Jenkins

Ian Woodroofe

Lea Dodds (Chair and Minutes)

Apologies: Paul Webb

1) GMH

ASHP Controls.

- a) *Power supply to controller in main hall* Richard's notes on meeting held with Jeremy Sharman 2nd July are copied at the end of these minutes. Ian is chasing responses on the various issues.
- b) *Simple guide* required after we have fully understood the system.

Replacing faulty ASHP Adam Kerrison emailed us on 16/5 saying:

"I have emailed Mitsubishi back and will let you know when one there engineers can attend. I have also gone onto their website to look at the fault code on P8 Fault. Please see link below and extract info"

Ian requested an update – Adam sent Mitsubishi a reminder on 16 July.

Maintenance contract After the repair, we will need to recommend a provider for maintenance support. Lea to liaise with Katherine on this.

Destratification fans Raise with energy auditor (later in year)

Energy monitor readings Richard says the data looks believable (within 10%), but to be sure we need to match it to one more invoice.

2) Energy audits

Audit now booked for 12.00 on 30th July. Lea to attend, Debbie available to answer questions. Plasterer has said the intense heat in the loft above Hall One may be worsening the cracking. Lea to ask energy auditor about fitting space blanket onto rafters.

3) Mandeville

NZV project On hold until energy audit completed.

LED proposal Fittings have arrived. Richard to liaise with office on installation date.

Latest plasterer to offer an opinion has said he can repair the ceiling cracks after the new lights are fitted, if we wish.

Energy supplier Council has agreed to change electricity supplier to Octopus 12 month tariff. Uses 100% renewables and has a better tariff for export rates.

AOBs and date of next meeting

18 August – next meeting

Schedule for Q2 – Q4, 2025

July/Aug	MH energy audit. Then respecify work + re quoting if necessary. GMH - fix most urgent issues with heating Change energy suppliers at MH
July-Sep	Recommendation and approval of contractor for MH project
Sep-Nov	MH Phase 1, co-ordination and delivery GMH - energy audit, then get quotes for necessary work Begin search for energy provider to replace Engie

Notes on meeting held with Jeremy Sharman 2nd July, GMH.

- The ASHP System should ideally be setup with 3no. Basic Settings:
 - **Summer Mode** – Outside Temperature over 16°C = System is OFF
 - **Spring/Autumn/Night Mode** – Outside Temperature between 5°C and 16°C = System Heating Buffer Tank to 35°C and Weather compensated heating output pumped to the building to achieve 21°C
 - **Winter Mode** – Outside Temperature below 5°C = System Heating Buffer Tank to 45°C and full heating output pumped to the building to achieve 21°C
- Ian to contact Shane at Mitsubishi, to ask:
 - Does Master Controller in building control the ASHP's or the Secondary Pump(s) or both?
 - How to adjust the settings on the Master Controller to reflect the above Basic Settings.
 - In addition to the Temperature controlled Summer Mode, can the System be setup to turn off from May or June to September?
- We will leave the Main Controller where it is located, unless issues develop with areas away from the Main Hall not heating adequately.
- The Boost Controller in the Main Hall will be investigated for correct programming and functionality once the Master Controller has been setup correctly and has been running for a while.
 - At present, the fans in the wall units run continuously irrespective of the Controller Temperature setting. Debbie is currently controlling the Fans by closing the vents. There are heating and cooling programs, but I was unable to access them today.
 - We will need a programming guide for this Controller?
 - We want to introduce a night setback setting of 18°C for the Main Hall to save energy.
- Debbie has been asked to open the 2no. small hi-level electric windows on hot days and close them when she locks up. This should reduce the development of stifling heat when the Main Hall is in use on hot days/evenings.

Burwell Parish Council

Energy Sub-Group

Present
Richard Jenkins
Ian Woodroffe
Lea Dodds (Chair and Minutes)
Apologies: Paul Webb

Minutes of 23 June 2025 Meeting, JRR 19:30

1) GMH

ASHP Controls. Next actions?

- a) *Controls etcl* Meeting arranged with Jeremy Sharman (JS) for 5pm, 2nd July at GMH. Will cover design concept, implementation & commissioning documents. Also, ask how the controller, vents and fans interact.
Richard has now converted the controller (near server) to be permanently powered.
- b) *Simple guide* JS has agreed to discuss producing a simple guide to the system controls and to consider whether we should use set-back temperatures.

Replacing faulty ASHP Adam Kerrison emailed us on 16/5 saying: *"I have emailed Mitsubishi back and will let you know when one there engineers can attend. I have also gone onto their website to look at the fault code on P8 Fault. Please see link below and extract info"*

Ian will contact him to check on progress.

Maintenance contract After the repair, we will need to recommend a provider for maintenance support, and make a decision about UV lamps. We should again ask Sothams for a price – partly in order to understand the proposed work schedule.

<<Later note: we have found that there are no UV lamps are installed in the convector units).

Destratification fans JS believes they were avoided due to cost, and potential issues with integrating into the building structure internally, and aesthetics. Discuss on 2nd July.

Installing energy monitors Now done. We need an energy bill to compare the readings.

2) Energy audits

We need to chase Oli for a date. He will require energy usage (LD to provide) and occupancy (Sarah to provide).

LD has booked a place at the public buildings energy efficiency workshop.

3) Mandeville

NZV project To be reviewed after energy audit completed.

LED fitting Lights etc on order.

Energy supplier We are out of contract with Corona. Katherine now has 3 quotes and we are likely to propose Octopus as the new supplier.

AOBs and date of next meeting

Next meeting Mon 14th July

Schedule for Q2 – Q4, 2025

July/Aug	MH energy audit. Then respecify work + re quoting if necessary. GMH - fix most urgent issues with heating Change energy suppliers at MH
July-Sep	Recommendation and approval of contractor for MH project
Sep-Nov	MH Phase 1, co-ordination and delivery GMH - energy audit, then get quotes for necessary work